

TABLE OF CONTENTS

RATCHETS

Light DUTY

- Ratchet Straps 09
- Retractable Ratchet Straps 09

Medium DUTY

- Padded Ratchet Straps 10
- Sliding Ratchet Straps 11

Heavy DUTY

- Ratchet Straps 12

Commercial DUTY

- Ratchet Straps 13

CAMBUCKLES

14 - 15

ROUND SLINGS

16 - 17

BUNGEEES

- Bungees 19
- Flat Bungees 19
- Assorted Bungees 19

ROPES

20 - 21

TARPAULINS

22 - 23

CABLE TIE WRAPS

23

CHAINS & ACCESSORIES

- Welded Chains 24 - 25
- Accessories 26 - 29
- Plastic Chain 29



OUR FOUR RATCHET STRENGTH GRADES



LIGHT DUTY

For domestic, DIY and leisure use. Ideal for roof racks, small furniture, camping equipment and lightweight loads.

- Available in 25mm widths
- Provides strength ratings up to 750kg
- Available up to 4.5m lengths



MEDIUM DUTY

The all-purpose solution for tradespeople, small businesses, van fleets and regular transport tasks.

- Available in 25mm / 32mm widths
- Provides strength ratings up to 1,200kg
- Available up to 6m lengths



HEAVY DUTY

Designed for construction, landscaping, machinery, building materials and heavier commercial loads.

- Available in 35mm widths
- Provides strength ratings up to 3,000kg
- Available up to 8m lengths



COMMERCIAL

The professional's choice engineered for haulage, logistics, agriculture and high-cycle industrial environments.

- Available in 50mm widths
- Provides strength ratings up to 5,000kg
- Available up to 10m lengths

SAFETY & COMPLIANCE

Every load, regardless of size, must be securely restrained before a vehicle moves.

Unsecured loads can cause:

- *Severe vehicle instability*
- *Increased stopping distance*
- *Objects falling into the carriageway*
- *Damage, injury or fatal accidents*

Industry figures indicate over 22,000 road-impact incidents annually caused by loose items falling from vehicles, reinforcing the importance of proper load restraint.

Centurion straps support compliance with:

- *Road Traffic Act 1988*
- *Construction & Use Regulations 1986*
- *Health and Safety at Work Act 1974*
- *Workplace risk-management requirements*
- *BS EN 12195 load-securing standards*

THE BLUE LABEL

The blue label on ratchet straps serves as an important identification and safety feature, providing essential information at a glance.

Typically sewn into the webbing, it displays details such as the manufacturer, Working Load Limit (WLL), material type, and compliance with relevant safety standards.


This label helps users quickly verify that the strap is suitable for the intended load and application, reducing the risk of misuse or overloading. Because the blue label is often required for regulatory and insurance purposes, keeping it intact and legible is crucial for maintaining compliance and ensuring safe, reliable load restraint.

All Centurion ratchet straps feature this label.

LC = 300daN	○ Loading Capacity
SHF = 25daN	○ Standard hand force
STF = 120daN	○ Standard tension force
POLYESTER	○ Webbing Material
LGF = 3.0m	○ Length of fixed end
Not for lifting	○ Warning
 CENTURION	○ Manufacturer
Model No. LE35P / LE36P	○ Order code Reference
YoM: 2019	○ Production date
EN 12195-2	○ European norm



HOW TO CHOOSE RATCHET STRAPS



1

Determine the weight and size of the load you are securing.

2

The tie-down strap must have a Working Load Limit (WLL) equal to or greater than that weight.

3



Choose the appropriate length required for securing your load.

4

Choose the hardware that is best suited to your application.

HOW TO USE A RATCHET STRAP

1. *Attach hooks to secure anchor points*
2. *Feed the strap through the ratchet mandrel*
3. *Pump the ratchet handle to tension*
4. *Close the ratchet to lock*
5. *Secure any loose strap ends*
6. *Release by opening the ratchet fully*



Always inspect straps before use.

Replace immediately if cut, frayed, worn or damaged.



CENTURION MERCHANDISING SOLUTIONS

Enhance retail visibility and support customer decision-making with:

- *Grade-coded colour segmentation*
- *Shelf-ready display boxes*
- *High-impact branded merchandiser stands*

Centurion transforms load-securing hardware into a modern, professional retail category.

TRUSTED BY PROFESSIONALS. CHOSEN BY CUSTOMERS.

Centurion ratchet straps combine engineering quality, industry compliance, and premium presentation making them the ideal choice for retailers, trades and commercial operators seeking dependable load restraint.



RATCHET STRAPS




LIGHT DUTY RATCHET STRAPS

These light-duty ratchet straps are designed for everyday cargo securing needs. Measuring 25mm wide and up to 4.5m long, they combine strength with flexibility for reliable performance.

The robust ratchet mechanism ensures easy tensioning, while the reinforced hooks provide secure anchor points. Perfect for securing furniture, equipment, or smaller loads, this strap guarantees safety and stability during transit.

- Load Capacity: Up to 750kg
- Retractable Design: No more messy straps - easy wind-up system
- Durable Construction: High-strength polyester webbing with corrosion-resistant ratchet
- Easy to Use: Quick-release handle for fast tightening and loosening
- Applications: Perfect for trailers, vans, roof racks, and general cargo securing
- Safety Compliant: Manufactured to EN 12195-2 standards for load restraint



Code	Description	Strap Width	Strap Length	Breaking Strain	Pack Qty	Standard
LE02P	Light Duty Ratchet Strap	25mm	4.5m	450kg	1 Pack	EN 12195-2
LE35P	Light Duty Retractable Ratchet Strap	25mm	3m	600kg	1 Pack	EN 12195-2
LE36P	Light Duty Retractable Tie Down	25mm	3m	600kg	2 Pack	EN 12195-2
LE34P	Light Duty Retractable Ratchet Strap	25mm	4.5m	750kg	1 Pack	EN 12195-2
LE41P	Light Duty Retractable Tie Down	25mm	4.5m	750kg	4 Pack	EN 12195-2



MEDIUM DUTY


RATCHET STRAPS

PADDED RATCHET STRAPS

These padded ratchet straps are designed for maximum strength and protection, making them ideal for trailers, vans, roof racks, and cargo transport. They also feature extra padding to protect delicate surfaces from scratches and damage during transport.

Built with high-strength polyester webbing and corrosion-resistant ratchets, they deliver durability and reliability for professional and DIY use.

- Load Capacity: 1,000kg
- Protective Padding: Extra cushioning for surface protection
- Durable Build: High-strength webbing with robust ratchet mechanism
- Easy Operation: Quick-release handle for fast tightening and loosening
- Applications: Ideal for trailers, vans, roof racks, and securing valuable or large loads
- Safety Compliant: Manufactured to EN 12195-2 standards for load restraint



Ratchet strap label for safety



Code	Description	Strap Width	Strap Length	Breaking Strain	Pack Qty	Standard
LE37P	Medium Duty Padded Ratchet Strap	25mm	6m	1000kg	1 Pack	EN 12195-2
LE38P	Medium Duty Padded Ratchet Strap	25mm	6m	1000kg	2 Pack	EN 12195-2




MEDIUM DUTY RATCHET STRAPS

SLIDING RATCHET STRAPS

Designed for maximum strength and flexibility, this sliding ratchet system allows easy positioning along the strap for a perfect fit.

Built with heavy-duty polyester webbing and a robust ratchet mechanism, it ensures reliable performance for professional and DIY transport needs.

- Load Capacity: 1,200kg
- Sliding Ratchet Design: Adjustable positioning for versatile load securing
- Durable Build: High-strength webbing with robust ratchet mechanism
- Easy Operation: Quick-release handle for fast tightening and loosening
- Applications: Ideal for trailers, vans, roof racks, and heavy cargo transport
- Safety Compliant: Manufactured to EN 12195-2 standards for load restraint



Code	Description	Strap Width	Strap Length	Breaking Strain	Pack Qty	Standard
LE39P	Medium Duty Sliding Ratchet Strap	32mm	5m	1200kg	1 Pack	EN 12195-2
LE40P	Medium Duty Sliding Ratchet Strap	32mm	5m	1200kg	2 Pack	EN 12195-2




HEAVY DUTY RATCHET STRAPS

These padded ratchet straps are designed for maximum strength and protection, making them ideal for trailers, vans, roof racks, and cargo transport.

Built with high-strength polyester webbing and corrosion-resistant ratchets, they deliver durability and reliability for professional and DIY use.

- Load Capacity: Up to 3,000kg
- Durable Build: High-strength webbing with robust ratchet mechanism
- Easy Operation: Quick-release handle for fast tightening and loosening
- Applications: Ideal for trailers, vans, roof racks, and securing valuable or large loads
- Safety Compliant: Manufactured to EN 12195-2 standards for load restraint



Code	Description	Strap Width	Strap Length	Breaking Strain	Pack Qty	Standard
LE30P	Heavy Duty Ratchet Strap	35mm	4m	2000kg	1 Pack	EN 12195-2
LE31P	Heavy Duty Ratchet Strap	35mm	6m	2000kg	1 Pack	EN 12195-2




COMMERCIAL RATCHET STRAPS

These heavy-duty ratchet straps are designed for professionals who need reliable load securing, offering exceptional strength and durability.

The robust ratchet mechanism allows for easy tensioning, while the reinforced hooks provide secure attachment points. Ideal for transporting machinery, building materials, or large cargo, these straps ensure safety and stability during transit.

- Load Capacity: 5,000kg
- Durable Polyester Webbing: Weather resistant, abrasion-proof, and UV-stable for long-term reliability
- Smooth Ratchet Mechanism: Easy tension with ergonomic handle for secure tightening and quick release
- Double J Hooks: Strong metal hooks for firm anchoring to anchor points on trailers, vans, and trucks
- Applications: Ideal for heavy-duty transport and industrial use
- Safety Compliant: Manufactured to EN 12195-2 standards for load restraint



Code	Description	Strap Width	Strap Length	Breaking Strain	Pack Qty	Standard
LE27P	Commercial Ratchet Strap	50mm	6m	5000kg	1 Pack	EN 12195-2
LE28P	Commercial Ratchet Strap	50mm	8m	5000kg	1 Pack	EN 12195-2



CAMBUCKLE STRAPS




LIGHT DUTY CAMBUCKLE STRAPS

Cambuckle straps are a practical and reliable solution for securing, stowing, or storing light loads in a wide range of applications.

Designed with an easy-to-use cambuckle fastener, they allow for quick tightening and release, making them ideal where speed and convenience are important.

The weather-resistant polyester webbing offers excellent durability and resistance to wear, while the stitched reinforcement enhances strength and longevity for repeated use.

- Load Capacity: 250kg
- Durable Construction: High-strength polyester webbing with corrosion-resistant mechanism
- Easy to Use: Cambuckle fastener allows for fast tightening and loosening
- Applications: Ideal for securing light loads such as signage, leisure equipment, retail displays, and general storage, offering quick adjustment and safe, controlled tensioning
- Safety Compliant: Manufactured to EN 12195-2 standards for load restraint



Code	Description	Strap Width	Strap Length	Breaking Strain	Pack Qty	Standard
LE42P	Light Duty Cambuckle Strap	25mm	1m	250kg	2 Pack	EN 12195-2
LE43P	Light Duty Cambuckle Strap	25mm	3.2m	250kg	2 Pack	EN 12195-2
LE44P	Light Duty Cambuckle Strap	25mm	4.5m	250kg	2 Pack	EN 12195-2





ROUND SLINGS



COMMERCIAL ROUND SLINGS

Our commercial-duty round slings are designed to provide strong, reliable lifting performance for a wide range of industrial and material-handling applications. Manufactured from high-strength polyester fibres and protected by a durable outer sleeve, these slings offer excellent flexibility while maintaining consistent load stability. Lightweight and easy to position, they help reduce handling effort while protecting the load from damage during lifting operations.

- Load Capacity: 2 Tonne Safe Working Load (SWL) for dependable commercial lifting
- Durable Construction: High-strength polyester core yarn with a protective outer sleeve for extended service life
- Flexible Handling: Lightweight, soft construction allows easy positioning around loads while helping prevent surface damage
- Available Sizes: 6.0M EWL (12M Circumference) and 3.0M EWL (6M Circumference) to suit different lifting requirements
- Applications: Ideal for general commercial lifting tasks including machinery, equipment, signage structures, and material handling
- Safety Compliant: Manufactured and labelled in accordance with EN 1492-2 lifting sling standards



Code	Description	CIRC	EWL	SWL	Pack Qty	Standard
LE112L	Commercial Duty Round Sling	6m	3m	2000kg	1 Pack	EN 1492-2
LE114L	Commercial Duty Round Sling	12m	6m	2000kg	1 Pack	EN 1492-2



BUNGEE STRAPS



BUNGEEES



Bungees are elastic cords commonly used to secure objects without the need for tying knots, while also absorbing shock. These straps are general utility items and are therefore not suitable for heavy, bulky loads. Our range is available in a variety of lengths and made from high-quality cord. They are water-resistant and UV-stabilised, making them durable and hard-wearing. TÜV/GS approved.

Colours may vary

Code	Description	Strap Width	Strap Length	Pack Qty	Standard
LE11P	Light duty with high tensile hooks	8mm	450mm / 18"	2 Pack	TUV/GS
LE12P	Light duty with high tensile hooks	8mm	600mm / 24"	2 Pack	TUV/GS
LE13P	Light duty with high tensile hooks	8mm	900mm / 36"	2 Pack	TUV/GS



Code	Description	Strap Width	Strap Length	Pack Qty	Standard
LE20P	Light duty with carabiner hooks	8mm	600mm / 24"	1 Pack	TUV/GS
LE21P	Light duty with carabiner hooks	8mm	900mm / 36"	1 Pack	TUV/GS
LE22P	Light duty with carabiner hooks	8mm	1200mm / 48"	1 Pack	TUV/GS



Code	Description	Strap Width	Strap Length	Pack Qty	Standard
LE23P	Flat with high tensile hooks	17mm	600mm / 24"	2 Pack	TUV/GS
LE24P	Flat with high tensile hooks	17mm	800mm / 32"	2 Pack	TUV/GS
LE25P	Flat with high tensile hooks	17mm	1000mm / 40"	2 Pack	TUV/GS
LE26P	Flat with high tensile hooks	17mm	1200mm / 48"	2 Pack	TUV/GS



Code	Description	Strap Width	Strap Length	Pack Qty	Standard
LE16P	Heavy duty with galvanised hooks	12mm	600mm / 24"	1 Pack	TUV/GS
LE17P	Heavy duty with galvanised hooks	12mm	900mm / 36"	1 Pack	TUV/GS
LE18P	Heavy duty with galvanised hooks	12mm	1200mm / 48"	1 Pack	TUV/GS
LE19P	Heavy duty with galvanised hooks	12mm	1800mm / 70"	1 Pack	TUV/GS



ASSORTED

2 x 400mm / 15"
2 x 600mm / 24"
2 x 800mm / 32"
2 x 1000mm / 40"



Code	Pack Qty	Standard
LE15P	8 Pack	TUV/GS

ASSORTED

2 x 250mm / 10"
2 x 450mm / 18"
2 x 600mm / 24"
2 x 800mm / 32"
2 x 1000mm / 40"



Code	Pack Qty	Standard
LE14P	10 Pack	TUV/GS



ROPES

ROPES

POLYPROPYLENE ROPE

Our polypropylene ropes provide reliable performance for tasks such as securing cargo, setting up tents, and general DIY use. Delivering dependable tensile strength, users can have confidence that the rope will hold under regular working conditions.

The smooth texture allows quick handling and easy knotting without tangling, which makes fastening faster and more secure. Their balance of strength, versatility, and cost makes them a popular choice for both DIY and trade customers who need reliable ropes for a range of applications. Our ropes are also weather and UV-resistant, so they maintain strength in rain, sun, and harsh outdoor conditions.

Code	Description	Size	Pack Qty
PR031	Polypropylene rope with reusable frame	4mm x 30m	1 Pack
PR032	Polypropylene rope with reusable frame	6mm x 20m	1 Pack
PR033	Polypropylene rope with reusable frame	8mm x 15m	1 Pack



Code	Description	Size	Pack Qty
PR023	Polypropylene rope mini coils	6mm x 30m	1 Pack
PR024	Polypropylene rope mini coils	8mm x 20m	1 Pack
PR025	Polypropylene rope mini coils	10mm x 15m	1 Pack
PR026	Polypropylene rope mini coils	12mm x 10m	1 Pack



Code	Description	Size	Pack Qty
PR004	Polypropylene rope reel	6mm x 220m	1 Pack
PR009	Polypropylene rope reel	8mm x 110m	1 Pack
PR014	Polypropylene rope reel	10mm x 73m	1 Pack
PR019	Polypropylene rope reel	12mm x 55m	1 Pack



Code	Description	Size	Pack Qty
PR027	Polypropylene wagon rope	10mm x 27m	1 Pack



TARPAULINS



TARPAULINS

POLYPROPYLENE ROPE

Our tarpaulins are manufactured to a new and improved standard, using heavier gauge material for increased strength and durability.

Each tarpaulin features a reinforcing rope inside the welded hem for added tear resistance, along with rust-resistant grommets positioned on the sides and corners for secure fixing.

A polyethylene coating with UV inhibitor (UVI) treatment helps protect against sun damage and weathering, while heat-sealed seams ensure reliable waterproof performance and long-lasting use in demanding conditions.

IDEAL FOR:

- Home and garden
- Vehicles
- Decorating
- Canopies
- Ground sheets
- Pool covers
- Wind protectors
- Haystack covers



FEATURES



WATERPROOF



HEAT RESISTANT



UV PROTECTION



WASHABLE


Code	Description	Size	Pack Qty
TB14L	Tarpaulin	1.8 x 1.2m (6' x 4')	1 Pack
TB16L	Tarpaulin	1.8 x 2.7m (6' x 9')	1 Pack
TB19L	Tarpaulin	3.6 x 2.4m (12' x 8')	1 Pack
TB20L	Tarpaulin	3.6 x 5.4m (12' x 18')	1 Pack
TB22L	Tarpaulin	7.3 x 5.4m (24' x 18')	1 Pack



Code	Description	Size	Pack Qty
NT01P	Black Cable Tie Wrap	100 x 2.5mm	100
NT02P	Black Cable Tie Wrap	150 x 3.6mm	100
NT03P	Black Cable Tie Wrap	200 x 4.8mm	100
NT06P	Black Cable Tie Wrap	250 x 4.8mm	50
NT07P	Black Cable Tie Wrap	300 x 4.8mm	50
NT125P	Black Cable Tie Wrap	400 x 7.2mm	50
NT20P	Natural Cable Tie Wrap	100 x 2.5mm	100
NT21P	Natural Cable Tie Wrap	150 x 3.6mm	100
NT50P	Natural Cable Tie Wrap	200 x 4.8mm	100
NT04P	Natural Cable Tie Wrap	250 x 4.8mm	50
NT51P	Natural Cable Tie Wrap	300 x 4.8mm	50
NT05P	Natural Cable Tie Wrap	400 x 7.2mm	50
NT08P	Silver Cable Tie Wrap	250 x 4.8mm	50

CABLE TIE WRAPS

Designed for quick, secure, and versatile use across a wide range of applications. Made from durable materials, providing strong holding power for bundling cables, securing items, or organising equipment, making them ideal for industrial, commercial, and everyday use.



CHAINS AND ACCESSORIES



CHAINS AND ACCESSORIES

Our chains and accessories range offers a wide choice of types, sizes, and finishes to suit many applications. The range supports merchants supplying trade customers, as well as DIY and hardware stores serving everyday users.

The selection includes chain reels, pre-cut chains, and loose chain options, giving stores flexibility in how they stock and sell. Customers can purchase the exact length and type they need for each job.

We also stock a range of shackles, hooks, and chain links to connect, extend, and repair chain. This means you can source all your chain and accessories from Centurion Europe and offer your customers a comprehensive range.

Code	Description	Size	Pack Qty
MC94L	Zinc Plated Steel Welded Straight Link Chain	2.5mm x 14mm x 30m	1 Reel
MC29L	Zinc Plated Steel Welded Straight Link Chain	3mm x 16mm x 10m	1 Reel
MC133L	Zinc Plated Steel Welded Straight Link Chain	3mm x 16mm x 30m	1 Reel
MC95L	Zinc Plated Steel Welded Straight Link Chain	3mm x 21mm x 30m	1 Reel
MC96L	Zinc Plated Steel Welded Straight Link Chain	3mm x 26mm x 30m	1 Reel
MC38L	Zinc Plated Steel Welded Straight Link Chain	4mm x 19mm x 30m	1 Reel
MC97L	Zinc Plated Steel Welded Straight Link Chain	4mm x 26mm x 30m	1 Reel
MC98L	Zinc Plated Steel Welded Straight Link Chain	5mm x 21mm x 25m	1 Reel
MC99L	Zinc Plated Steel Welded Straight Link Chain	5mm x 28mm x 25m	1 Reel
MC100L	Zinc Plated Steel Welded Straight Link Chain	6mm x 24mm x 15m	1 Reel
MC101L	Zinc Plated Steel Welded Straight Link Chain	6mm x 33mm x 15m	1 Reel
MC40L	Zinc Plated Steel Welded Straight Link Chain	6mm x 42mm x 15m	1 Reel
MC102L	Zinc Plated Steel Welded Straight Link Chain	6.5mm x 36mm x 15m	1 Reel
MC30L	Black Steel Welded Straight Link Chain	3mm x 21mm x 10m	1 Reel
MC132L	Black Steel Welded Straight Link Chain	3mm x 21mm x 30m	1 Reel
MC53L	Black Steel Welded Straight Link Chain	4mm x 26mm x 30m	1 Reel
MC39L	Black Steel Welded Straight Link Chain	5mm x 28mm x 25m	1 Reel
MC103L	Black Steel Welded Straight Link Chain	6mm x 33mm x 15m	1 Reel



Code	Description	Size	Pack Qty
MC94CS	Zinc Plated Steel Welded Straight Link Pre-cut Chain	2.5mm x 14mm x 5m	1
MC95CS	Zinc Plated Steel Welded Straight Link Pre-cut Chain	3mm x 21mm x 5m	1
MC97CS	Zinc Plated Steel Welded Straight Link Pre-cut Chain	4mm x 26mm x 5m	1
MC99CS	Zinc Plated Steel Welded Straight Link Pre-cut Chain	5mm x 28mm x 2.5m	1
MC30CS	Black Steel Welded Straight Link Pre-cut Chain	3mm x 21mm x 5m	1
MC53CS	Black Steel Welded Straight Link Pre-cut Chain	4mm x 26mm x 5m	1
MC39CS	Black Steel Welded Straight Link Pre-cut Chain	5mm x 28mm x 2.5m	1



Code	Description	Size	Pack Qty
MC150L	Stainless Steel Welded Straight Link Chain	2.5mm x 17mm x 10m	1 Reel
MC151L	Stainless Steel Welded Straight Link Chain	4mm x 20mm x 10m	1 Reel



Code	Description	Size	Pack Qty
MC146L	Galvanised Steel Spiked Alternate Link Chain	6mm x 50mm x 13mm x 5m	1 Reel
MC145L	Galvanised Steel Spiked Alternate Link Chain	6mm x 50mm x 13mm x 5m	1 Reel



Code	Description	Size	Pack Qty
MC50P	Zinc Plated Steel ESS Hooks	3mm x 34mm	2
MC36P	Zinc Plated Steel ESS Hooks	4mm x 40mm	2
MC51P	Zinc Plated Steel ESS Hooks	5mm x 48mm	2
MC52P	Zinc Plated Steel ESS Hooks	6mm x 60mm	2



Code	Description	Size	Pack Qty
MC55P	Zinc Plated Steel Mending Link	3mm x 34mm	1
MC35P	Zinc Plated Steel Mending Link	4mm x 40mm	1
MC56P	Zinc Plated Steel Mending Link	5mm x 48mm	1
MC57P	Zinc Plated Steel Mending Link	6mm x 60mm	1



Code	Description	Size	Pack Qty
MC46P	Zinc Plated Quick Repair Link	3.5mm / 28 x 10mm	1
MC33P	Zinc Plated Quick Repair Link	4mm / 32 x 11mm	1
MC47P	Zinc Plated Quick Repair Link	5mm / 39 x 12mm	1
MC48P	Zinc Plated Quick Repair Link	6mm / 46 x 14mm	1
MC49P	Zinc Plated Quick Repair Link	8mm / 59 x 19mm	1
MC162P	Zinc Plated Quick Repair Link	10mm / 70 x 20mm	1
MC163P	Zinc Plated Quick Repair Link	12mm / 85 x 25mm	1
MC152P	Stainless Steel Quick Repair Link	3.5mm / 28 x 10mm	1
MC153P	Stainless Steel Quick Repair Link	5mm / 39 x 12mm	1



Code	Description	Size	Pack Qty
MC43P	Zinc Plated Carbine Hook	4 x 40mm	1
MC34P	Zinc Plated Carbine Hook	5 x 50mm	1
MC44P	Zinc Plated Carbine Hook	6 x 60mm	1
MC45P	Zinc Plated Carbine Hook	8 x 80mm	1
MC158P	Zinc Plated Carbine Hook	10 x 100mm	1
MC159P	Zinc Plated Carbine Hook	12 x 140mm	1
MC154P	Stainless Steel Carbine Hook	4 x 40mm	1
MC155P	Stainless Steel Carbine Hook	6 x 60mm	1



Code	Description	Size	Pack Qty
MI43P	Nickel Plated Spring Hook	50mm / 2"	1



Code	Description	Size	Pack Qty
MC61P	Zinc Plated Steel Spring Hook to Crue	5 x 50mm	1
MC62P	Zinc Plated Steel Spring Hook to Crue	6 x 65mm	1
MC63P	Zinc Plated Steel Spring Hook to Crue	7 x 70mm	1



Code	Description	Size	Pack Qty
MC64P	Zinc Plated Steel Swivel Spring Hook	5 x 50mm	1
MC65P	Zinc Plated Steel Swivel Spring Hook	6 x 65mm	1
MC66P	Zinc Plated Steel Swivel Spring Hook	7 x 70mm	1



Code	Description	Size	Pack Qty
MC32P	Galvanised Dee Shackles	5mm / 19 x 13mm	1
MC41P	Galvanised Dee Shackles	6mm / 25 x 13mm	1
MC42P	Galvanised Dee Shackles	8mm / 30 x 16mm	1
MC160P	Galvanised Dee Shackles	10mm / 38 x 19mm	1
MC161P	Galvanised Dee Shackles	12mm / 49 x 25mm	1
MC156P	Stainless Steel Dee Shackles	4mm / 16 x 8mm	1
MC157P	Stainless Steel Dee Shackles	6mm / 19 x 10mm	1



Code	Description	Size	Pack Qty
MC58P	Galvanised Steel Bow Shackles	5mm / 19 x 15mm	1
MC59P	Galvanised Steel Bow Shackles	6mm / 25 x 18mm	1
MC60P	Galvanised Steel Bow Shackles	8mm / 32 x 22mm	1



Code	Description	Size	Pack Qty
MC93P	Galvanised Straining Screws Hook/Eye	5 x 74mm	1
MC23P	Galvanised Straining Screws Hook/Eye	6 x 89mm	1
MC24P	Galvanised Straining Screws Hook/Eye	8 x 104mm	1



Code	Description	Size	Pack Qty
MC77P	Galvanised Steel Hook On Plate	8 x 50mm	1
MC81P	Black Steel Hook On Plate	8 x 50mm	1



Code	Description	Size	Pack Qty
MC76P	Galvanised Steel Staple On Plate	6 x 50mm	1
MC80P	Black Steel Staple On Plate	6 x 50mm	1



Code	Description	Size	Pack Qty
MC78P	Galvanised Steel Ring on Plate	8 x 50mm	1
MC82P	Black Steel Ring on Plate	8 x 50mm	1



Code	Description	Size	Pack Qty
MC142L	Galvanised Steel Wire Rope	4mm x 10m	1
MC143L	Galvanised Steel Wire Rope	6mm x 10m	1
MC144L	Galvanised Steel Wire Rope	8mm x 10m	1



Code	Description	Size	Pack Qty
MC67P	Galvanised Steel Wire Rope Grips	3mm	2
MC68P	Galvanised Steel Wire Rope Grips	5mm	2
MC69P	Galvanised Steel Wire Rope Grips	6mm	2
MC70P	Galvanised Steel Wire Rope Grips	8mm	2



Code	Description	Size	Pack Qty
MC73P	Galvanised Steel Wire Rope Thimbles	5mm	2
MC74P	Galvanised Steel Wire Rope Thimbles	6mm	2
MC75P	Galvanised Steel Wire Rope Thimbles	8mm	2



PLASTIC CHAIN & LINKS

Code	Description	Size	Pack Qty
S0303WH	White Short Link Plastic Chain	6mm x 5m	1
S0303RW	Red and White Short Link Plastic Chain	6mm x 5m	1
S0303YB	Yellow and Black Short Link Plastic Chain	6mm x 5m	1



Code	Description	Size	Pack Qty
S0302B	Black Connecting Chain Links	6mm	10
S0302W	White Connecting Chain Links	6mm	10

